

Swap easy. Ride easy.

----INTRODUCING ----

# ACTIVAE

Honda. Who Else!?





### Driving Zero Boundaries: Honda's Path to a

# Sustainable Future

We at Honda are committed to achieving zero environmental impact by 2050 through our Triple Action to ZERO initiative: carbon neutrality, clean energy, and resource circulation. We are advancing global electrification, enhancing resource recycling, and leveraging 100% carbon-free energy. By implementing Life Cycle Assessment (LCA), our goal is to reach net zero CO2 emissions and establish carbon-neutral operations worldwide.





Electrify up your ride with the all-new Activa e:, where cutting-edge design meets dynamic electric performance. With innovative Honda e: SWAP Technology, you can swap batteries within a minute and keep moving, no matter where the road takes you.

Bold, and eco-friendly, the iconic Activa e: is built for the future.

The Activa e: is more than just a ride-it's a revolution.

# Electrify Your Dreams



# Styling

### Redefine your style with sleek, modern sophistication.

Sophistication redefined

A design that captivates at every glance.



Stylish LED lighting
Enhancing style while ensuring safety in low visibility.



#### Smart rear design Energy-efficient LEDs paired with a strong and sturdy grab-rail.



#### Streamlined elegance\*

Clean edges and refined design for a polished finish along with body colour mirrors.

\*Body colour mirrors are part of optional accessories.



#### Diamond-cut alloys

Premium style meets a smoother, more refined ride (for both rear and front).



# Technology

Seamless innovation for modern mobility.



Swap easy. Ride easy.







- » Swap within a minute at your nearest Honda e: SWAP station for fully charged batteries.
- » No worries about charging the battery, just swap & ride in style.





» Honda e: SWAP takes care of battery maintenance, so you don't have to.



Activa e: Honda RoadSync Duo® App Stay Connected, Ride Effortlessly

The Activa e: Honda RoadSync Duo® App unites your smartphone and Activa e: for a seamlessly connected ride.

- Navigate\*
  Easily find your way with reliable navigation.
- Linitiate Calls\*
  Enjoy the seamless connectivity on the go, all the while your full focus stays on the ride.
- Control Music\*

  Play and manage your music effortlessly at your fingertips.



- Swapping Stations
  Locate your nearest
  e: SWAP Stations.
- Reminders\*
  Get maintenance
  reminders & vehicle
  diagnostics.

### Smart Key - Unlock in style

Powered by H-Smart technology, the Honda Smart Key unlocks a world of convenience with features designed to enhance your Activa e: experience.



#### **Smart Find**

Locate your Activa e: in parking lots or low-light conditions with the answer back feature.

#### **Smart Unlock**

Skip fumbling for your keys- the Honda Smart Key makes unlocking seamless.

#### **Smart Safe**

Your Activa e: stays secure, even when you're not around.

#### **Smart Start**

Start your Activa e: without taking the Smart Key out of your pocket.

### In-Vehicle Infotainment

Smart, Clear, and Connected Riding Experience

- » 17.78cm (7") Dynamic TFT display for sharp, clear visuals\*.
- » Honda RoadSync Duo for seamless mobile integration\*.
- » All essential information at a glance.
- » Day & Night modes for optimal clarity.
- » Control everything with easy toggles.

### Riding Modes

A mode for every mood




#### Econ Mode:

Maximizes efficiency by reducing power, softening acceleration, and extending range for a greener ride.

#### Standard Mode:

Balances power and efficiency for smooth acceleration and everyday comfort.



#### Sports Mode:

Enhances performance with increased power, sharper acceleration, and higher speed for a thrilling ride.



<sup>\*</sup> This feature is available in the Activa e: Honda RoadSync Duo® variant only



## Comfort & Convenience

Effortless Comfort, Unmatched Convenience.



### Motor Excellence for Power Performance

- » 6 kW powerful motor that hits 80 km/h efficiently.
- » Smooth & Quick acceleration for effortless rides.

# Engineered for confident and comfortable rides

Reverse with ease. Enables smooth backward movement for effortless parking and manoeuvring in tight spaces.





Twin-fork suspension for smooth, confident rides.

Disc brake provides control and confidence during quick stops.





Integrated frame and power unit Exclusively designed for swappable battery to enhance structure, stability, and rigidity of vehicle.

Dual Pockets with 15W USB-C Port Enjoy your ride. It provides quick charging to your smartphone, power bank, earphones on the go.






Stylish front fender and cowls
Aerodynamically designed eliminating
pressure build up and contributes to
nimble handling.

# Stunning Colours

Choose the shade that complements your vibe.



Pearl Shallow Blue







Pearl Serenity Blue



Pearl Igneous Black



Pearl Misty White

# Redefining excellence in Service & Maintenance.



Get 3 FREE services in the first year.



3-years / 50000 kms warranty, whichever comes first

### TECHNICAL SPECIFICATIONS#

Performance					
		Specifications	Activa e: Honda RoadSync Duo®	Activa e:	
Performance		Range (km)	102*	102*	
Max Tirrjue (Nm)		Top Speed (km/h)	80	80	
Gradeability (Degree)   13	Performance	0-60 km/h acc. (sec)	7.3	7.3	
Frame   Frame   Type		Max Torque (Nm)	22*	22*	
Frame         Whool Type         Diamond Cut Alloy         Black Alloy           Frant Yee Size         90/90-12         90/90-12         90/90-12           Rear Tyre Size         110/80-12         110/80-12         110/80-12           Tyre Type         Tubeless         Tubeless           Front Brake Type and Size         Disc-10 mm         Disc-100 mm           Place Brake Type and Size         Drum-130 mm         Drum-130 mm           Foor Suspension         3 Step Adjustable         5 Sping Loaded Hydraulic           Hr.L Glove Box Capacity (L)         0.5         0.5           Longin X Width X Helight (rmn)         1834×700xt125*         1864×700xt125*           Wheelbase (mm)         1310         1310           Ground Clearance (mm)         171         171           Seat Length (rmn)         675         675           Korb Weight (kg)         11B         11B           Motor         Matirum Power/Peak Power (kW)         0°         6°           Battery System         Swappable         Swappable           Battery Capacity         1.5kWh x 2         1.5kWh x 2           Lighting         LED         LED           Lighting         LED         LED           Lighting		Gradeability (Degree)	13	13	
Front Tyre Size         90/90-12         90/90-12         110/80-12         3 Step Adjustable Spring Loaded Hydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Spring Loaded Hydraulic Phydraulic Phydra		Frame Type	Under bone	Under bone	
Frame         Rear Tyre Size         110/80-12 Tuboless         Tuboless           Front Brake Type and Size         Disc-160 mm         Disc-160 mm           Front Buspension         Telescopio Telescopio Syring Loaded Hydraulic         Telescopio Syring Loaded Hydraulic           RAL Glove Box Capacity (L)         0.5         0.5           Longth x Width x Holght (mm)         1854x700x1125*         1854x700x1125*           Wheelbase (mm)         1310         1310         1310           Ground Clearance (mm)         1771         171         171           Kerb Weight (kg)         119         118           Motor         Motor Widter Type         PMSM         PMSM           Battery Systom         Swappable         Swappable           Battery Type         Luthium-ion         Luthium-ion           Battery Systom         Swappable         Swappable           Battery Type         LED         LED           Battery Type         Luthium-ion         Luthium-ion           Battery Systom         Swappable         Swappable           Battery Systom         Swappable         Swappable           Battery Systom         Swappable         LED           Lighting         LED         LED <t< th=""><th></th><th>Wheel Type</th><th>Diamond Cut Alloy</th><th>Black Alloy</th></t<>		Wheel Type	Diamond Cut Alloy	Black Alloy	
Frame         Tyre Type         Tubeless         Tubeless           Front Brake Type and Size         Disc-160 mm         Disc-160 mm           Rear Brake Type and Size         Drum-130 mm         Drum-130 mm           Front Suspension         3 Step Adjustable         3 Step Adjustable           Rear Suspension         1 Be54x700x1125*         3 Step Adjustable           Print Loaded Hydraulic           Rear Brake Type and Size         Drum Discover Discover Print Loaded Hydraulic           Print Loaded Hydraulic           Brake My Michael Hydrounic Spring Loaded Hydraulic           Michael My Michael Hydrounic Spring Loaded Hydraulic           My My Michael My Michael Hydrounic Spring Loaded Hydraulic           Brake My My Michael Hydrounic Spring Loaded Hydrounic           My My Michael My My My Michael My My My My Michael My		Front Tyre Size	90/90-12	90/90-12	
Front Brake Type and Size		Rear Tyre Size	110/80-12	110/80-12	
Front Brake Type and Size	Eromo	Tyre Type	Tubeless	Tubeless	
Pront Suspension	riaille	Front Brake Type and Size	Disc-160 mm	Disc-160 mm	
Rear Suspension		Rear Brake Type and Size	Drum-130 mm	Drum-130 mm	
Ril Glove Box Capacity (L)		Front Suspension	Telescopic	Telescopic	
Fi/L Clove Box Capacity (L)   0.5   0.5		Rear Suspension	•	•	
Langth x Width x Height (mm)		R/L Glove Box Capacity (L)			
Note   Sear Length (mm)   1310   1310   171	Dimensions				
Dimensions   Seal Length (mm)   675   6			<i>,</i>		
		, ,			
Motor         Kerb Weight (kg)         119         118           Motor Type         PMSM         PMSM           Battery         Battery System         Swappable         Swappable           Battery System         Lifhium-ion         Lifhium-ion           Battery Capacity         1.5kWh x 2         1.5kWh x 2           Battery Capacity         1.5kWh x 2         1.5kWh x 2           Headlights         LED         LED           Lighting         Headlights         LED         LED           Lighting         LED         LED         LED           Headlights         LED         LED         LED           Lighting         3.00         LED         LED           Lighting         4.00         3.00         CO		` '			
Motor         Motor Type         PMSM PMSM PMSM PMSM PMSM PMSM PMSM PMSM					
Battery   Battery System   Swappable   Swappable					
Battery         Battery Type         Lithium-ion         Swappable Lithium-ion           Battery Capacity Water & Dust Resistance         I.P66         I.SkWh x 2           Headlights         LED         LED           Lighting         Taillights         LED         LED           LED         LED         LED           LED         LED         LED           LED         LED         LED           Processor         Cortex-A72 Quadcore 1690MHz         -           Storage         32GB         -           PAM         6GB         -           Operating System         Android Open Source OS (AOSP)         -           Resolution         800x480 pixels         800x480 pixels           Screen Size and Type         17.76 cm (7") TFT         12.70 cm (6") TFT           Resolution         800x480 pixels         800x480 pixels           Bootons         1000 nits         1000 nits           Aspect Ratio         15:9         15:9           Brightness         1000 nits         1000 nits           Aspect Ratio         15:9         15:9           Connectivity App         Honda RoadSync Duo"         -           Reverse Mode         Yes         Yes </th <th>Motor</th> <th></th> <th></th> <th></th>	Motor				
Battery         Battery Capacity         Lithium-ion         Lithium-ion           Battery Capacity         1.5kWh x 2         1.5kWh x 2           Water & Dust Resistance         IP65         IP85           Headlights         LED         LED           Lighting         Taillights         LED         LED           Indicators         LED         LED         LED           LED					
Battery	Battery		· ·	· ·	
Water & Dust Resistance					
Headlights					
Taillights	Lighting	Water & Dust Resistance	IP65		
Indicators					
Processor   Cortex-A72 Quadcore 1690MHz   - Storage   32GB   -					
Storage	Doobbookd	Indicators	LED	LED	
Pashboard				-	
Dashboard   Screen Size and Type				-	
Screen Size and Type				-	
Resolution			. ,		
Colours   RGB 8bit (16M)   RGB 8bit (16M)	Dasiiboard	Screen Size and Type	· ,		
Brightness   1000 nits   1000 nits			·	·	
Aspect Ratio   15:9   15:9			,		
Features    Riding Modes   3 Modes (Econ, Standard, Sport)					
Connectivity App		Aspect Ratio	15:9	15:9	
Connectivity App Honda RoadSync Duo® - Reverse Mode Yes Yes Dasboard Auto Brightness Yes Yes Topple Alert Yes - Maintenance Alert Yes - Call and Music Control Yes - Live Tracking Yes - Side Stand Inhibitor Yes - Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Colours  Colours Colours Colours Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black	Features	Riding Modes			
Reverse Mode   Yes   Yes		Connectivity App			
Dasboard Auto Brightness   Yes   Yes			<u> </u>		
Topple Alert   Yes					
Features         Maintenance Alert         Yes         -           Call and Music Control         Yes         -           Navigation         Yes         -           Live Tracking         Yes         -           OTA Updates         Yes         -           Side Stand Inhibitor         Yes         Yes           Key         Smart Key         Smart Key           Smart Find         Yes         Yes           Smart Safe         Yes         Yes           Smart Start         Yes         Yes           Smart Unlock         Yes         Yes           Colours         Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Features    Call and Music Control   Yes   -		• •			
Features  Navigation Live Tracking Yes - OTA Updates Yes - Side Stand Inhibitor Yes Key Smart Key Smart Key Smart Key Smart Find Yes Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Yes					
Live Tracking Yes - OTA Updates Yes - Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours Colours Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
OTA Updates  Side Stand Inhibitor  Yes  Yes  Key  Smart Key  Smart Key  Smart Find  Yes  Yes  Smart Safe  Yes  Smart Start  Yes  Smart Start  Yes  Yes  Smart Unlock  Yes  Yes  Yes  Yes  Matt Foggy Silver Metallic, Pearl Igneous Black					
Side Stand Inhibitor Yes Yes Key Smart Key Smart Key Smart Find Yes Yes Smart Safe Yes Smart Start Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Yes Yes Smart Unlock Yes Yes Yes Matt Foggy Silver Metallic, Pearl Igneous Black					
Key Smart Key Smart Key  Smart Find Yes Yes  Smart Safe Yes Yes  Smart Start Yes Yes  Smart Unlock Yes Yes  Colours  Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black		•			
Smart Find Yes Yes Smart Safe Yes Yes Smart Start Yes Yes Smart Unlock Yes Yes Colours  Colou					
Smart Safe Smart Start Yes Yes Smart Unlock Yes Yes  Colours Colours  Colours  Matt Foggy Silver Metallic, Pearl Igneous Black			•	•	
Smart Start Smart Unlock Yes Yes  Colours Colours  Colours Available Colours  Colours Available Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue, Matt Foggy Silver Metallic, Pearl Igneous Black					
Colours  Colours Available  Colours Available  Colours Available  Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue,  Matt Foggy Silver Metallic, Pearl Igneous Black					
Colours  Colours Available  Pearl Shallow Blue, Pearl Misty White, Pearl Serenity Blue,  Matt Foggy Silver Metallic, Pearl Igneous Black					
Matt Foggy Silver Metallic, Pearl Igneous Black					
	Colours				
varianty 3-years/ 50000 kms (whichever comes first)	Morrost				
	warranty	venicle Warranty	verlicle vvarianty 5-years/ 50000 kms (whichever comes first)		

<sup>\*</sup>Denotes the Parameter Values based on Honda's Internal Testing Results.

<sup>\*</sup>The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice.

# ACTIVAE

Honda. Who Else!?



Borawake Honda Jinti Bridge Phaltan Tel: 02166/220750/225750 Mob: 02166/220550/225750

Honda Motorcycle and Scooter India Pvt. Ltd. Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India

For more details: Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda.hmsi.in



